




Downgraded to **RESTRICTED**  
 CONTROL APPROVAL SYMBOL  
 SPMGS-85  
 NOV 29 1949  
 by auth of The SG  
 Initials *Play*

# WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY  
 IN THE CONTINENTAL UNITED STATES  
 WEEK ENDING 23 MARCH 1945

SPECIAL SECTION  
 ON  
 VENEREAL DISEASE



ARMY  
 MEDICAL  
 FEB 26 1946  
 LIBRARY

ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED  
 PER 1000 STRENGTH

DISEASE INJURY



**THIS DOCUMENT CONTAINS  
INFORMATION AFFECTING THE  
NATIONAL DEFENSE OF THE  
UNITED STATES WITHIN THE  
MEANING OF THE ESPIONAGE  
ACT, 50 U. S. C., 31 AND 32, AS  
AMENDED. ITS TRANSMISSION  
OR THE REVELATION OF ITS  
CONTENTS IN ANY MANNER  
TO AN UNAUTHORIZED PERSON  
IS PROHIBITED BY LAW.**

# WEEKLY HEALTH REPORT

## CONTENTS

### DATA FOR WEEK ENDING 23 MARCH 1945

	PAGE
NATURE OF THE DATA . . . . .	2
COMMENT ON CURRENT TRENDS . . . . .	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS . . . . .	10
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER . . . . .	12
STATIONS WITH HIGHEST MORBIDITY RATES . . . . .	21
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST . . . . .	22

### ANALYSIS OF VENEREAL DISEASE DATA IN FEBRUARY

COMMENT ON CURRENT TRENDS . . . . .	23
MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH COLORED STRENGTH OF 1000 OR MORE . . . . .	32



# WEEKLY HEALTH REPORT

## NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, Form 86ab, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

### MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

### MORTALITY DATA

Recent studies indicate that the reporting of deaths on Forms 86ab is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 15 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

### STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

### EXPLANATORY MATTER


In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.



# MORBIDITY FROM ALL CAUSES INJURY ONLY


CONTINENTAL UNITED STATES





# MORBIDITY FROM DISEASE ONLY COLDS, INFLUENZA, ETC.

CONTINENTAL UNITED STATES





## COMMENT ON CURRENT TRENDS

### CURRENT MORBIDITY IN THE CONTINENTAL UNITED STATES

#### All Causes: Disease and Injury:

Morbidity from all causes decreased by almost 5 percent during the week ending 23 March 1945, being reported at 631 per year per thousand strength. The current week's admission rate is about 10 percent lower than during the corresponding week of 1944, with most of the difference being due to low morbidity from respiratory causes. Morbidity from disease likewise decreased by about 5 percent during the current week being reported at 583 per thousand.

The admission rate from injury decreased to 48 per thousand or only slightly higher than the minimum rate reported at the beginning of March. However, it should be borne in mind that the injury rates reported since October 1944 are not strictly comparable with those prior to that time, because of the directive (issued 29 September 1944) which provided for the reporting of injuries existing prior to entry into active service and of readmissions for injury under "disease" rather than under "injury," as was formerly done.

#### Respiratory Causes:

Morbidity from colds, influenza, etc. decreased by almost 10 percent during the current week, being reported at 158 per thousand. The current week's morbidity is thus about 20 percent lower than for the corresponding week of 1944 and is lower than that experienced during any week this year except for the week ending 5 January.

The admission rate for pneumonia remained at 14 per thousand which is about 15 percent lower than for the corresponding week of 1944.

### Common Communicable Diseases:

Morbidity from venereal diseases, excluding cases contracted prior to entry on active service, increased slightly to 45 per thousand. This increase reflects the normal cyclical trend during the month, since the lowest rate usually occurs during the first week, followed by a steady rise thereafter. The current week's rate exceeds the highest rate recorded during any week of 1944.

The admission rate for diarrhea and dysentery remained at 6 per thousand which is the minimum rate recorded so far this year and thus continues at the anticipated low seasonal level.

The number of new cases of measles remained about the same as during the previous week, while the number of new cases of mumps increased by 10 percent to the highest figure so far this year. The number of new cases of scarlet fever decreased by about 20 percent to be at the lowest level reported since the beginning of February. The number of new cases of meningitis remained at substantially the same level as reported for the preceding weeks this year. The number of new cases of rheumatic fever was reported at 59 which is the highest reported during any week this year.

### VARIATION IN MORBIDITY BY SERVICE COMMAND

#### All Causes: Disease and Injury:

The admission rate for disease decreased in all Service Commands except the Military District and the Ninth Service Command (in the latter only a slight increase was reported). Only in the Eighth Service Command did a decrease of over 10 percent occur, with most of the other Commands reporting decreases of about 5 percent.

The First, Second, and Third Service Commands



# MORBIDITY FROM


— ALL CAUSES

---- DISEASE ONLY

..... COLDS, INFLUENZA, ETC.

RESTRICTED

## VARIATIONS BY SERVICE COMMAND CONTINENTAL UNITED STATES




RESTRICTED




# NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



# PATIENTS REMAINING UNDER TREATMENT

CONTINENTAL UNITED STATES





## COMMENT ON CURRENT TRENDS (CONT'D)

reported the highest morbidity from all causes (about 695 per thousand) and from disease (about 655 per thousand). The lowest admission rates from all causes (about 610 per thousand) and from disease (about 560 per thousand) were reported by the Fourth and Eighth Service Commands. It is noteworthy that all Service Commands reported admission rates from all causes falling within the relatively narrow range of 600 to 700 per thousand.

The Fourth and Fifth Service Commands reported the highest morbidity from injury (55 per thousand), while all other Service Commands except the Eighth and Ninth reported admission rates of 40 per thousand or less.

Respiratory Causes:

Morbidity from colds, influenza, etc. decreased in every Service Command except the First in which only a minor increase was reported. Decreases of 10 percent or more occurred in the Second, Fourth, Fifth, Sixth, Seventh, and Eighth Service Commands. The highest morbidity from these causes was reported by the Fifth and Eighth Service Commands (about 190 per thousand), while the lowest rate was registered by the Fourth Service Command (127 per thousand).

The admission rate from pneumonia decreased sharply in the First and Fifth Service Commands and the Military District of Washington, while only the Fourth Service Command reported a significant increase. As a result, the Fourth Service Command had the highest morbidity from this cause (18 per thousand).

Common Communicable Diseases:

Morbidity from venereal diseases, excluding EPTS cases, remained about the same in most Service Commands; the greatest rises were reported by the Second, Third, and Fourth Service Commands. The highest morbidity from these causes was again reported by the Third Service Command (74 per thousand), with no other Command

having a rate in excess of 50 per thousand. Only the Military District of Washington and the Ninth Service Command had admission rates from these causes of less than 40 per thousand.

All Service Commands continued to report exceptionally low morbidity from diarrhea and dysentery, with no Command having a rate in excess of 9 per thousand. The Seventh Service Command continued to report more than one-third of the number of new cases of measles in the entire country (chiefly because of the continuation of the outbreak at Fort Snelling). The Eighth Service Command reported a relatively sharp increase in the number of new cases of meningitis and accounted for half of the total number of cases for the entire United States.

NON-EFFECTIVE RATE:

The non-effective rate for personnel stationed in the continental United States is estimated at 33.8 per thousand strength for the week ending 23 March as compared with approximately 36 per thousand for the corresponding week of 1944. The mean number of non-effectives in this country, including evacuees from overseas, rose to 87.8 per thousand.

PATIENTS REMAINING UNDER TREATMENT: 23 March 1945:

The number of neuropsychiatric cases remaining was 34,800 or about 400 more than at the end of the previous week. Non-battle injury patients remaining numbered 42,500. The number of battle casualty patients remaining increased by about 3,600 to number 67,370.

CERTIFICATES OF DISABILITY FOR DISCHARGE:

During the week ending 23 March there were 4,761 enlisted men discharged by CDD or about 200 more than the previous week. About 52 percent of these discharges were reported by General Hospitals. Included among the 4,761 CDD's were 2,118 neuropsychiatric cases.



# CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



RESTRICTED



# WEEKLY HEALTH REPORT

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S															MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH							ANNUAL CASE RATE PER 1000 STRENGTH									
		ALL CAUSES		DISEASE		INJURY			COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)			
C U R R E N T      W E E K      C O M P A R E D      W I T H      P R E V I O U S      W E E K																		
	Current week	Previous week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week
TOTAL UNITED STATES	2790432	1810793	631	661	583	611	48	50	158	175	14	14	6	6	45	44	87.8	84.4
FIRST SERVICE COMMAND	75333	71799	696	729	656	683	40	46	152	148	6	14	9	7	45	51	140.1	133.2
SECOND SERVICE COMMAND	175431	179475	693	731	655	694	38	37	163	186	12	14	6	5	49	41	111.1	107.7
THIRD SERVICE COMMAND	149238	189529	693	697	653	659	40	38	163	176	15	15	6	5	74	64	103.5	97.0
MIL. DIST. OF WASHINGTON	50981	52624	645	580	606	538	39	42	175	177	10	17	9	5?	16	21	71.2	68.0
FOURTH SERVICE COMMAND	676050	679364	610	637	555	580	55	57	127	143	18	15	6	7	50	44	76.5	73.4
FIFTH SERVICE COMMAND	137459	136169	662	690	607	638	55	52	193	224	15	23	3	6	41	44	177.9	175.9
SIXTH SERVICE COMMAND	103177	103678	630	664	597	633	33	31	153	193	16	14	4	2?	44	49	147.0	139.8
SEVENTH SERVICE COMMAND	256003	257685	622	668	582	632	40	36	153	186	10	9	3	5	48	45	92.9	88.1
EIGHTH SERVICE COMMAND	672132	680471	611	669	560	612	51	57	196	206	15	18	7	6	40	42	60.6	59.0
NINTH SERVICE COMMAND	454628	460999	624	625	576	574	48	51	147	156	9	7	6	6	36	38	79.0	77.0
C U R R E N T      Y E A R      T O      D A T E      C O M P A R E D      W I T H      C O R R E S P O N D I N G      P E R I O D      P R E V I O U S      Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year
TOTAL UNITED STATES	2911745	4599220	660	782	609	713	51	69	177	280	14	20	7	9	44	29	75.2	39.4
FIRST SERVICE COMMAND	79731	140006	723	705	672	642	51	63	179	267	8	16	7	10	56	20	103.3	30.2
SECOND SERVICE COMMAND	187682	236897	718	910	671	851	47	59	176	364	11	20	7	11	51	40	104.6	45.1
THIRD SERVICE COMMAND	181939	305786	744	892	702	828	42	64	184	362	14	23	7	10	62	27	82.0	42.0
MIL. DIST. OF WASHINGTON	51937	61192	685	817	642	783	43	34	206	306	9	33	8	10	23	14	70.6	64.8
FOURTH SERVICE COMMAND	712477	1235291	640	742	582	668	58	74	151	243	16	19	7	10	48	31	65.4	35.6
FIFTH SERVICE COMMAND	133565	205734	708	802	661	742	47	60	237	301	16	19	7	14	53	38	166.5	51.0
SIXTH SERVICE COMMAND	102046	178227	706	971	670	911	36	60	204	400	22	29	6	5	50	33	118.4	41.2
SEVENTH SERVICE COMMAND	266593	401983	607	981	566	916	41	65	154	435	10	44	6	9	41	28	72.2	45.8
EIGHTH SERVICE COMMAND	718315	973351	659	712	603	637	56	75	205	224	17	14	8	7	38	28	54.0	36.7
NINTH SERVICE COMMAND	477460	860253	630	718	579	649	51	69	158	240	8	13	7	6	37	23	70.2	39.1



# WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK END 3 23 March 1945

## SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH *	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTOCOCCAL SORE THROAT		ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	2790432	183	599	125	34	59	504	73	4	1337	54	241		107	43	60	4	4761
FIRST SERVICE COMMAND	75333	1	9	2	2		6	3		44		1		5	4		1	169
SECOND SERVICE COMMAND	175431	4	24	10	4	2	22	6		94	6	1		6	4	2		523
THIRD SERVICE COMMAND	189238	6	42	11	2	5	37	10	1	96	6	29		2	1		1	315
MIL. DIST. OF WASHINGTON	50981		2			1	7	1		10	2			3	1	2		90
FOURTH SERVICE COMMAND	676050	56	159	10	1	6	170	18		295	12	33		31	10	20	1	1089
FIFTH SERVICE COMMAND	137459	4	39	4	2	4	24	1		103	5	5		5	2	2	1	358
SIXTH SERVICE COMMAND	103177	1	31	15	1	4	18	3		105		38		4	1	3		297
SEVENTH SERVICE COMMAND	256003	64	59	20	4	13	25	3		92	3	22		15	6	9		441
EIGHTH SERVICE COMMAND	672132	31	176	34	17	18	140	23	3	328	15	103		21	7	14		698
NINTH SERVICE COMMAND	454628	16	58	19	1	6	55	5		170	5	9		15	7	8		781
P R E V I O U S W E E K																		
TOTAL UNITED STATES	2810793	187	546	158	30	54	505	81	8	1438	45	253		138	43	89	6	4543
FIRST SERVICE COMMAND	71799		10	2			12	4		48	2	2		8	5	3		137
SECOND SERVICE COMMAND	179475	7	31	12		3	23	7		104	2	2		4	2	1	1	583
THIRD SERVICE COMMAND	188529	6	31	10	1	2	35	8		78	5	55		2	2			307
MIL. DIST. OF WASHINGTON	52624		1	1		1	13	1		22		2		1			1	87
FOURTH SERVICE COMMAND	679364	34	136	24	11	3	136	17	2	298	8	35		36	9	26	1	915
FIFTH SERVICE COMMAND	136169	10	32	8	6	3	38	6	1	103	2	7		11	2	9		339
SIXTH SERVICE COMMAND	103678		22	18	1	3	16	2	1	109		37		5	3	2		204
SEVENTH SERVICE COMMAND	257685	59	43	17	2	9	25	4		125		36		8	6	2		424
EIGHTH SERVICE COMMAND	680471	52	172	51	6	18	160	22	3	397	20	62		38	8	30		843
NINTH SERVICE COMMAND	460999	19	68	15	3	12	47	10	1	154	6	15		25	6	16	3	704

FORM SG-396C REVISED 2 DEC. 1944

\* SEE NATURE OF THE DATA, PAGE 2

CONFIDENTIAL

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK ENDING 23 March 194 5

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FIRST SERVICE COMMAND	75333	696	656	40	152	6	9	45	1	9	2	2		6	3	5	4		169
Boston PoE, Mass.	11046	824	772	52	193	9?		85	1	4		1		1					1
Devens, Ft., Mass.	10383	776	726	50	120		5?	55		2									
Edwards, Cp., Mass. ( Excl. Gen. Hosp. & Conv. Hosp.)	5962	1344	1318	26?	175			35?											
Westover Field, Mass. (RH)	7993	527	488	39	117	13?		20?						1					1
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	39949	576	540	36	152	5?	15	36		3	2	1		4	3	5	4		16?
SECOND SERVICE COMMAND	175431	693	655	38	163	12	6	49	4	24	10	4	2	22	6	6	4	2	523
Atlantic City, N. J. AAF Redist. Sta.	6450	1186	1113	73	97			65				1							
Dix, Ft., N. J.	21446	746	735	10?	129	2?	2?	41		5				1					
Kilmer, Cp., N. J.	14081	698	683	15?	151	15?		103	2	2	2	1		4	1	2	2		6
Mitchell Field, N. Y. (RH)	6417	680	656	24?	162			24?				1							20
Monmouth, Ft., N. J. (RH)	8717	573	525	48	119			5?					1						
New York PoE, N. Y.	15300	662	625	37	133	7?	3?	92											
Shanks, Cp., N. Y.	12915	588	548	40	209	4?		5?		2	1		1		1				
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	90105	677	631	46	181	20	10	40	2	15	7	1		17	4	4	2	2	49?

FORM SG-396 REVISED 1 DECEMBER 1944 \*DOES NOT INCLUDE READMITTED CASES (I. E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK ENDING 23 March 1945

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
THIRD SERVICE COMMAND	189238	696	653	40	163	15	6	74	6	42	11	2	5	37	10	2	1		315
Aberdeen Prov. Grd., Md.	15952	724	675	49	173	23		62	3	2	2			3					5
Geo. G. Meade, Ft., Md. (RH)	36615	835	817	18	199	34	4?	115		15	3		2	18	2				17
Hampton Roads PoB, Va.	7932	819	734	85	184			190											
Indiantown Gap, Pa.	13708	725	679	46	159	27		87	2	3	4			6	1				9
Langley Field, Va. (RH)	10075	428	392	36	77	10?		15?			2								10
Lee, Cp., Va. (RH)	25451	677	648	29	123	8?	2?	119		18		1	1	1	3				33
Patrick Henry, Cp., Va.	5973	714	601	113	105	44?		113						5	2				5
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	73532	636	595	41	171	5	13	30	1	4		1	2	4	2	2	1		236
MIL. DIST. OF WASH.	50981	645	606	39	175	10	9	16		2			1	7	1	3	1	2	90
Belvoir, Ft., Va.	14279	620	576	44	80	22	7?	33					1	4					4
Myer, Ft., Va.	5518	1009	990	19?	339		9?	9?											3
Washington Gen. Disp., D.C.	9699	595	584	11?	327	11?	11?			1				2					
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	21485	590	537	53	128	5?	10?	15		1				1	1	3	1	2	83

FORM SG-396 REVISED 1 DECEMBER 1944 \* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK ENDING 23 March 1942

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FOURTH SERVICE COMMAND	679050	610	586	55	127	18	6	50	56	159	10	1	6	17	19	31	10	3	1089
Avon Park AAF, Fla.	6597	325	315	87	597	87		55						1					8
Benning, Ft., Ga. (RH)	40513	880	851	49	38	10		78	10	22				2	2				34
Blanding, Cp., Fla. (RH)	57165	788	677	111	210	45	16	12	20	17	2			40		1	1		29
Boca Raton Field, Fla.	17213	572	546	24	60	37	97	127		6			2	1	2	1		1	3
Bragg, Ft., N. C. (RH)	27365	589	540	48	272	27	47	63	11	8				15					73
Buckingham AAF, Fla.	11064	237	198	247	47			147											
Charleston AAB, S. C.	5580	392	335	56	56			96											
Charleston PoE, S. C.	5795	440	387	63	117	167	187	90					1	1					9
Chatham Field, Ga.	5287	206	229	307	59			307		1									
Columbia AAB, S. C.	7195	499	470	297	101	77		297		1				1					
Croft, Cp., S. C.	15770	831	699	137	327	92	77	23	6	3	1			17	1				8
Dale Mabry Field, Fla.	5740	507	457	507	109			99								2	1	1	1
Drew Field, Fla. (RH)	14740	434	422	117	28	21		78		3				3					5
Eglin Field, Fla. (RH)	8260	479	378	101	44	67		63		2				1		1		1	4
Gordon, Cp., Ga.	23768	1111	1049	73	570	85	77	38		12				1		1	1		26
Gordon Johnston, Cp., Fla.	8176	717	642	70	57	137		137		2				2					26
Greensboro AAFORD, N. C. (RH)	8562	444	389	55	182	247	67	79						2		2		2	1
Greenville AAB, S. C.	5816	701	761	187	59		97	170											9
Gulfport AAF, Miss.	5798	727	617	9	117		187	117								1		1	8
Hunter Field, Ga. (RH)	6589	334	313	71	47	87	87	55						1					3

FORM 56-396 REVISED 1 DECEMBER 1944 \* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK ENDING 25 March 194 5

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIAHRREA AND DYSENTERY	VENEREAL (EXCLUDING EPTSR)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FOURTH SERVICE COMMAND (Cont'd)																			
Jackson, Ft., S. C. (RH)	18728	486	422	64	53	11?	22	53		4				4	1	1	1		11
Keesler Field, Miss. (RH)	30436	974	935	39	255	22	15	17		2	6			12	4				21
MacDill Field, Fla.	10400	400	365	35	60		10?	110											3
Maxwell Field, Ala. (RH)	9489	269	247	22?	33			60		1					1				6
McClellan, Ft., Ala. (RH)	30658	436	373	63	70	24	5?	20	1	23				11					27
McPherson, Ft., Ga.	6116	808	714	94	77			60	2										12
Miami Beach, Fla. AAF Redist. Sta.	5502	1144	1087	57	47?			9?											
Oglethorpe, Ft., Ga.	6667	710	679	31?	203			39?		1									5
Orlando AAFTC, Fla. (RH)	10718	504	417	87	97	5?	10?	19?											12
Robins Field, Ga. (RH)	5832	455	437	18?	89	9?	45?	45?	1	1				1					10
Rucker, Cp., Ala.	5573	168	131	37?	65		9?	9?		5									5
Shelby, Cp., Miss. (RH)	21701	760	731	29	98	31		72	1	6			1	12					40
Sibert, Cp., Ala.	6592	623	505	118	79			126		4									
Tyndall Field, Fla.	11093	431	375	56	56			19?		1									4
Wheeler, Cp., Ga.	20367	962	878	84	391	74		15		5	1		2	22					12
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	194483	466	422	44	60	5	5	61	4	29		1		12	7	21	6	14	679

FORM 36-396 REVISED 1 DECEMBER 1944 \*DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)  
\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



V 12  
 VOLUME REPORT NO.  
 WEEK ENDING 23 March 1945

# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS					
FIFTH SERVICE COMMAND	137459	662	607	55	189	15	3	41	4	39	4	2	4	24	1	5	2	2	358	
Atterbury, Cp., Ind.	14065	1257	1250	7?	129		4?	22		3	1				1					
Knox, Ft., Ky. (RH)	45635	703	626	77	345	39	6?	33		28		2	2	22		1		1	45	
Lockbourne AAB, Ohio	5298	383	354	29?	49?			20?		1										
Wright Field, Ohio	14029	389	367	22	145			37		1										
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	58432	579	519	60	105	4?	3?	55	4	6	3		2	2		4	2	1	313	
SIXTH SERVICE COMMAND	103177	630	597	33	153	16	4	44	1	31	15	1	4	18	3	4	1	3	297	
Chenute Field, Ill. (RH)	13904	531	494	37	90	7?		41		14	2	1	1	2	2	1		1	5	
Ellis, Cp., Ill.	5424	642	594	48?	67	10?		48?		1				1		2		2	6	
Scott Field, Ill. (RH)	15883	642	609	33	206	26	16?	79	1	3	6		1	6					2	
Sheridan, Ft., Ill.	10968	1110	1086	24?	166	28	5?	24?		3				2					5	
Truax Field, Wis. (RH)	9555	702	686	16?	142	38		11?		4	4		2	2						
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	47443	528	492	36	162	8	1?	44		6	3			5	1	1	1		279	

FORM 96-396 REVISED 1 DECEMBER 1944 \*DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
 OFFICE OF THE SURGEON GENERAL  
 MEDICAL STATISTICS DIVISION  
 HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK ENDING 23 March 1945

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
SEVENTH SERVICE COMMAND	256003	622	582	40	163	10	3	48	54	59	20	4	13	25	3	15	6	9	441
Crowder, Cp., Mo. (RH)	15676	617	544	73	249	3?	3?	17			2								15
Des Moines, Ft., Iowa	5682	1062	1035	27?	174			37?											3
F. E. Warren, Ft., Wyo. (RH)	9899	1014	988	26?	268	16?		84	3	6			2						38
Jefferson Bks., Mo.	6640	556	509	47	78	8?		63	1	2				1		1	1		2
Leavenworth, Ft., Kans.	5886	716	707	9?	124		9?	44?	1						1				6
Leonard Wood, Ft., Mo. (RH)	12771	1124	1075	49	228	20?		143	3	12		2		5					12
Liberal AAF, Kans.	5491	436	408	28?	76		19?	28?					1						
Lincoln AAB, Nebr. (RH)	10437	319	299	20?	75	35	10?	45		3	1		4	2					7
Lowry Field, Colo.	18888	564	534	30	88			44			6		1						
Rapid City AAB, S. Dak.	5028	849	818	31?	383	10?	41?	41?			1			1					5
Riley, Ft., Kans. (RH)	18522	817	761	56	213	8?		22		21	1	1		3					36
Sioux City AAB, Iowa	5054	402	381	21?	93	21?		31?		1	1			1					
Sioux Falls AAF, S. Dak. (RH)	11327	1011	983	28	569	37	5?	23?	1	6	4		2	3		1	1		9
Smoky Hill AAF, Kans. (RH)	6912	376	346	30?	68			23?	1										5
Snelling, Ft., Kans.	6011	1160	1160		208	26?		35?	54					1	1				1
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS.	111779	469	426	43	114	7	3	51		8	4	1	3	8	1	13	4	9	302

FORM SG-396 REVISED 1 DECEMBER 1944 \*DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

\*\*SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

CONFIDENTIAL



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
 WEEK ENDING 23 March 1945

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS															NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH						NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIPHTHERIA AND DYSENTERY	VENEREAL (EXCLUDING EPTS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY		
EIGHTH SERVICE COMMAND	672132	611	560	51	186	15	7	40	31	176	34	17	18	140	23	21	7	14	698	
Alamogordo AAB, N. Mex.	6679	381	350	31?	47	8?		31?		1			1	1					1	
Amarillo AAF, Tex. (RH)	16960	788	748	40	319	9?	15?	3?		2	9		1	1	1				13	
Barksdale Field, La. (RH)	5964	436	384	52	87		9?	61		1						1		1	1	
Bliss, Ft., Tex.	13283	849	814	35	258	4?	4?	12?	3	1	1									
Bowie, Cp., Tex.	13509	473	408	65	96	12?	4?	42		1				1					6	
Claiborne, Cp., La.	9152	552	472	80	45		6?	51											15	
Clovis AAF, N. Mex.	6057	678	455	223	155	9?	9?	43?						1		2		2	2	
Ellington Field, Tex.	6471	482	426	56	121			48			1		1			2		2		
Fannin, Cp., Tex.	21450	1025	977	48	696	63		17		26	1	6	2	26					11	
Fort Worth AAF, Tex.	6586	593	506	87'	126	8?	8?	24?		1				1		1		1	1	
Gruber, Cp., Okla.	15724	427	374	53	53	7?	3?	53		3				2					8	
Harlingen AAF, Tex.	8597	338	296	42	54		42	6?	1		1				1					
Hondo, Cp., Tex.	5408	375	337	38?	29?		10?												4	
Hood, Cp., Tex. #	41327	767	715	52	313	33	3?	31	2	5	3		1	25	2	1	1		22	
Howze, Cp., Tex.	36575	564	533	31	252	23	1?	1?		3	1			13		2		2	17	
Cos. T. Robinson, Cp., Ark. (RH)	33317	965	857	108	331	42	2?	23	6	40	6		3	18	1				13	
Kelly Field, Tex.	7059	428	391	37?	52	7?		52		1				1					4	
Laredo AAF, Tex.	10544	434	414	20?	64	10?		5?						2	2					
Livingston, Cp., La.	24154	767	646	121	103	4?	2?	84								1		1	3	
Maxey, Cp., Tex. (RH)	19740	894	854	40	448	29		26	5	25		1		5	2				15	
Midland AAF, Tex.	5244	407	357	50?	30?			50?												

FORM SG-396 REVISED 1 DECEMBER 1944 \* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
 OFFICE OF THE SURGEON GENERAL  
 MEDICAL STATISTICS DIVISION  
 HEALTH REPORTS BRANCH



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

VOLUME V REPORT NO. 12  
WEEK ENDING 23 March 1945

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS**)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
EIGHTH SERVICE COMMAND(Cont'd)																			
New Orleans PoE, La.	17279	521	482	39	91	3?	9?	129		3				1		1	1		4
Polk, Cp., La. (RH)	8132	473	435	38	70		5?	134		1									18
Pyote AAF, Tex. (RH)	6209	277	235	42?	50			17?											11
Randolph Field, Tex.	6681	382	366	16?	93			8?			1								1
Rowell AAF, N. Mex.	7005	357	312	45	89		30?	15?											
San Houston, Ft., Tex.	11842	593	553	40	57			97											
San Antonio, Tex. (RH) Avn. Cdt. Ctr.	13383	361	303	58	89	8?	27	19?					1	2		1	1		44
San Marcos AAF, Tex.	5292	619	590	29?	236		10?	20?	1	1									
Selam Field,,La.	6193	521	454	67	67	17?	50	34?		2									2
Sheppard Field, Tex. (RH)	16542	833	820	13?	267	13?	3?	19						4	2				10
Sill, Ft., Okla.	30057	459	417	42	78	9?		52	8	8	3	7	1	4		2		2	11
Swift, Cp., Tex. (RH)	10666	502	463	39	59			102	2	1		1							29
Walters, Cp., Tex.	20167	1037	957	80	567	83	25	5?		11	2	1	1	18	2				3
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	198884	514	474	40	118	7	7	46	3	39	5	1	6	14	10	7	4	3	428
NINTH SERVICE COMMAND	454628	624	576	48	147	9	6	36	16	58	19	1	6	55	5	15	7	8	781
Beale, Cp., Calif.	12856	695	663	32	125	4?	8?	69	1	1									5
Fairfield-Suisun AAF, Calif.	5008	446	384	62	62			31?			1								
Geiger Field, Wash.	6215	845	778	67	192		8?	67		2									
Hamilton Field, Calif. (RH)	6311	470	421	49	82			25?							1				5

FORM SG-396 REVISED 1 DECEMBER 1944 \* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

\*\*SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH

CONFIDENTIAL



# WEEKLY HEALTH REPORT

## INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME V REPORT NO. 12  
WEEK ENDING 23 March 1945

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL (EXCLUDING EPTS*)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE		INJURY
NINTH SERVICE COMMAND(Cont'd)																			
Kearns AAFORD, Utah (RH)	7522	456	394	62	97	14?		41	2									7	
Kingman AAF, Ariz.	11376	531	494	37	348	5?	5?	5?		1					2		2		
Las Vegas AAF, Nev.	8721	531	495	36	185	6?		48	1		1		1	1	1	1			
Lawton, Ft., Wash.	9077	539	493	46	52	29?		57					1					3	
Lemoore AAF, Calif.	5988	660	634	26?	278			52			1								
Lewis, Ft., Wash.	30803	459	442	17	116	7?		44		4				4					
Luke Field, Ariz.	5126	477	447	30?	91	20?	20?	20?						1		1		9	
March Field, Calif.	5842	579	561	18?	151		9?	36?		1									
Mt. Home AAF, Idaho	5077	532	512	20?	164	10?	41?	61						1					
Muroc AAF, Calif.	7209	447	411	36?	94	14?	7?	72						2				3	
Ord, Ft., Calif. (RH)	27433	758	709	49	188	15	4?	19		8	7	1		6	1			30	
Pinedale, Cp., Calif. #	8936	390	355	35	111			6?											
Robert, Cp., Calif.	28101	812	681	131	242	56	22	6?	8	13	7			30				48	
Santa Ana AAB, Calif. (RH)	7003	2281	2199	82	97	7?	22?	104		1			1	1		1		14	
Stoneman, Cp., Calif.	7015	719	689	30?	104	15?		82		1								11	
Tonopah AAB, Nev.	5769	505	415	90	135		9?											2	
Victorville AAF, Calif.	8698	425	413	12?	84	6?	18?	30?		1					1			1	
Yuma AAF, Ariz.	7678	332	264	68	61			14?			1							1	
TOTAL-ALL STATIONS UNDER 5000 STR. & MISC. UNITS	226864	610	565	45	142	4	5	37	4	25	1		3	9	1	10	5	5	642

FORM SG-396 REVISED 1 DECEMBER 1944 \*DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)

\*\*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION  
HEALTH REPORTS BRANCH



VOLUME V REPORT NO. 12  
 WEEK ENDING 23 March 1945

# WEEKLY HEALTH REPORT

## LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

STATIONS WITH STRENGTH OF 5000 OR OVER

RESTRICTED

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
<b>ALL CAUSES</b> ANNUAL ADMISSION RATE PER 1000			<b>DISEASE</b> ANNUAL ADMISSION RATE PER 1000			<b>INJURY</b> ANNUAL ADMISSION RATE PER 1000		
Santa Ana AAB, Calif. (3)	2281	1540	Santa Ana AAB, Calif. (3)	2199	1517	Clovis AAF, N. Mex.	223	60
Edwards, Cp., Mass.	1344	1424	Edwards, Cp., Mass.	1318	1323	Croft, Cp., S. C.	132	91
Atterbury, Cp., Ind. (1)(2)	1257	1017	Atterbury, Cp., Ind. (1)(2)	1250	1013	Roberts, Cp., Calif.	131	99
Atlantic City, N. J. AAF Redist. Sta. (3)	1186	1432	Snelling, Ft., Minn. (1)(2)	1160	1329	Livingston, Cp., La.	121	95
Snelling, Ft., Minn. (1)(2)	1160	1347	Atlantic City, N. J. AAF Redist. Sta. (3)	1113	1372	Sibert, Cp., Ala.	118	78
Miami Beach, Fla. AAF Redist. Sta. (3)	1144	2000	Miami Beach, Fla. AAF Redist. Sta. (3)	1087	1910	Patrick Henry, Cp., Va.	113	67
Leonard Wood, Ft., Mo.	1124	1452	Sheridan, Ft., Ill. (1)(2)	1086	1322	Blanding, Cp., Fla.	111	128
<b>COLDS, INFLUENZA, ETC.*</b> ANNUAL ADMISSION RATE PER 1000			<b>PNEUMONIA (INCLUDING ATYPICAL)</b> ANNUAL ADMISSION RATE PER 1000			<b>DIARRHEA AND DYSENTERY</b> ANNUAL ADMISSION RATE PER 1000		
Fannin, Cp., Tex.	696	874	Croft, Cp., S. C.	92	80	Selman, Field, La.	50	--
Sioux Falls AAF, S. Dak.	569	529	Wolters, Cp., Tex.	83	95	Harlingen AAF, Tex.	42	27?
Wolters, Cp., Tex.	567	600	Wheeler, Cp., Ga.	74	68	San Antonio, Tex. Avn. Cdt. Ctr.	27	36
Gordon, Cp., Ga.	470	516	Fannin, Cp., Tex.	63	60	Wolters, Cp., Tex.	23	15
Maxey, Cp., Tex.	448	430	Roberts, Cp., Calif.	56	38	Jackson, Ft., S. C.	22	8?
Wheeler, Cp., Ga.	391	298	Gordon, Cp., Ga.	55	35	Roberts, Cp., Calif.	22	11
Rapid City AAB, S. Dak.	383	419	Blanding, Cp., Fla.	45	16	Blanding, Cp., Fla.	16	10
<b>VENEREAL (EXCLUDING EPTI)</b> ANNUAL ADMISSION RATE PER 1000			<b>DISEASE EXCLUDING VENEREAL EPTS</b> ANNUAL ADMISSION RATE PER 1000			(1) Reception Center or Stations; see Nature of the Data. (2) Separation Center; see Nature of the Data. (3) Redistribution Stations; see Nature of the Data.  <b>NOTE:</b> When the current week's data for a station have not been received and the previous week's data used instead, the rates for this station are not reported in this table if they were so shown in last week's report.		
Hampton Roads PoE, Va.	190	77	Santa Ana AAB, Calif. (3)	2199	1517			
Greenville AAB, S. C.	170	71	Edwards, Cp., Mass.	1318	1323			
Leonard Wood, Ft., Mo.	143	157	Snelling, Ft., Minn. (1)(2)	1152	1320			
Polk, Cp., La.	134	140	Atlantic City, N. J. AAF Redist. Sta. (3)	1113	1372			
New Orleans PoE, La.	129	137	Miami Beach, Fla. AAF Redist. Sta. (3)	1087	1910			
Sibert, Cp., Ala.	126	64	Leonard Wood, Ft., Mo.	1075	1435			
Lee, Cp., Va.	119	126	Gordon, Cp., Ga.	1048	1048			

FORM SG-396E, 12 NOVEMBER 1943

\*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Pleurisy.

ARMY SERVICE FORCES  
 OFFICE OF THE SURGEON GENERAL  
 MEDICAL STATISTICS DIVISION  
 HEALTH REPORTS BRANCH

RESTRICTED



# WEEKLY HEALTH REPORT

RESTRICTED

VOLUME V REPORT NO. 12 LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST  
WEEK ENDING 23 March 19 45

<p><u>MENINGITIS (OTHER FORMS) (1)</u> 1-McCloskey G.H., Tex.</p>	<p><u>DIPHTHERIA (9)</u> 1-Mason G.H., N.Y. 1-Carson, Cp., Colo. G.H. 1-Des Moines, Ft., Iowa 1-Schick G.H., Iowa 1-Laredo AAF, Tex. 2-Letterman G.H., Calif. 1-Luke Field, Ariz. 1-Stoneman, Cp., Calif.</p>	<p><u>POLIO-ENCEPHALITIS (1)</u> 1-Maxwell Field, Ala.</p>	<p><u>AMEBIC DYSENTERY (16)</u> 1-Mitchel Field, N.Y. 1-Geo. G. Meade, Ft., Md. 1-McGuire G.H., Va. 1-Canton, Miss. PW Cp. 1-Miami Beach, Fla. BU 1102 1-Sheridan, Ft., Ill. 3-Ft. Worth AAF, Tex. 1-Glennan G.H., Okla. 1-Harlingen AAF, Tex. 1-Harmon G.H., Tex. 1-Jos. T. Robinson, Cp., Ark. 1-Douglas, Ft., Utah 1-Hoff G.H., Calif.  Delayed Reports Week ending 16 March 1945 1-Waltham, Mass.</p>	<p><u>ANKYLOSTOMIASIS (7)</u> 1-Avon Park AAF, Fla. 2-Foster G.H., Miss. 4-Brooke G.H., Tex.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>STREPTOCOCCAL SORE THROAT</u> 28-Geo. G. Meade, Ft., Md. 14-Chanute Field, Ill. 20-Truax Field, Wis. 19-Lowry Fld, Colo. 44-Amarillo AAF, Tex. 11-Pecos AAF, Tex. 26-Sheppard Field, Tex.</p> <p><u>GERMAN MEASLES</u> 17-Geo. G. Meade, Ft., Md. 10-Blanding, Cp., Fla. 11-Croft, Cp., S.C. 14-Keesler Field, Miss. 10-McClellan, Ft., Ala. 29-Knox, Ft., Ky. 30-Fannin, Cp., Tex. 35-Hood, Cp., Tex. 34-Jos. T. Robinson, Cp. Ark. 28-Wolters, Cp., Tex. 25-Ord, Ft., Calif. 49-Roberts, Cp., Calif. 13-Stoneman, Cp., Calif.</p>
<p><u>RELAPSING FEVER (1)</u> 1-Boston PoE, Mass.</p> <p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASES IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <p>Truax Field, Wis. Jos. T. Robinson, Cp., Ark.</p>	<p><u>TYPHUS FEVER (1)</u> 1-Drew Field, Fla.</p> <p><u>LYMPHOCYTIC-CHORIOMENINGITIS (1)</u> 1-Big Spring AAF, Tex.</p>	<p><u>UNDULANT FEVER (1)</u> 1-Bronx Area Sta. Hosp., N.Y.</p> <p><u>TYPHOID FEVER (3)</u> 1-Crile G.H., Ohio 2-Florence, Ariz. PW Cp.</p>	<p><u>KERATOCONJUNCTIVITIS (5)</u> 1-Belvoir, Ft., Va. 2-Gordon Johnston, Cp., Fla. 1-Lake Charles AAF, La. 1-Wolters, Cp., Tex.</p> <p><u>FILARIASIS (2)</u> 1-Ashford G.H., W. Va. 1-Bliss, Ft., Tex.</p>	<p><u>COCCIDIOIDOMYCOSIS (5)</u> 1-Davis Monthan Field, Ariz. 2-Marana AAF, Ariz. 2-Roberts, Cp., Calif.</p>	<p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u> 1-Presque Isle AAF, Me. 1-Thomas M. England G.H., N.Y. 1-Pickett, Cp., Va. G.H. 1-Birmingham AAF, Ala. 1-Walker AAF, Kans. 1-Chaffee, Cp., Ark.</p> <p>Delayed Reports Week ending 16 March 1945 1-Pickett, Cp., Va. G.H.</p>

FORM SG-902 - 8 July 1944

RESTRICTED



## ANALYSIS OF VENEREAL DISEASE DATA

This report presents an analysis of venereal disease admission rates by color for all the stations in the continental United States which submit Statistical Health Reports (WD MD Form 86ab). The data cover the four week period ending 23 February 1945 and are shown for individual stations only where the colored male strength was 1000 or more, the data for all other units in each Service Command being shown combined.

In considering morbidity from venereal diseases during February 1945, reference should be had to the Review of Health Conditions in February contained in the Weekly Health Report for the week ending 16 March. In that issue were shown the February venereal disease admission rates for all Army personnel combined for individual stations; on page 26 thereof were set forth the numbers of cases remaining under treatment on 23 February in each Service Command.

The venereal cases remaining under treatment at the end of February accounted for 1.05 percent of all types of cases under treatment. The days lost due to venereal diseases during the four week period ending 23 February totaled 68,000 or an average of about 17,000 per week, representing a non-effective rate of .33 per thousand. Of the 68,000 days lost due to venereal diseases 29,000 days were attributable to colored males. The resulting non-effective rate from venereal diseases for colored males was 5.2 per thousand, while for all other personnel it was only .51 per thousand.

The non-effective rate for venereal diseases increased slightly in February (by 1 percent); the rise occurred equally for both colored male and all other personnel. Thus, the rate for colored males continued to be about 10 times as high as for all other Army personnel.

In considering the variations in venereal non-effective rates by Service Command, it should be kept in mind that such variations reflect to a considerable extent differences in General Hospital facilities in each Service Command. This is especially true of the Military District of Washington, which has an unusually low venereal admission rate, but because of the location of Walter Reed GH in this Command, reports a relatively high venereal non-effective rate.

For all Army personnel combined, the admission rate from venereal diseases (excluding cases contracted prior to entry on active service, designated hereafter as EPTS) was at a rate of 43 per thousand or 10 percent lower than in January. For colored males, the February rate was 225 per thousand or about 10 percent lower than in January, while for all other Army personnel the February rate of 29 per thousand was also 10 percent lower than in January.

The morbidity rate for colored male personnel thus was about  $7\frac{1}{2}$  times as high as for all other Army personnel. The admission rate for gonorrhea was almost 7 times as great for colored males as for all other Army personnel, while for syphilis the admission rate for colored males was 10 times as great and for other venereal diseases about 70 times as great. Practically all of the cases of venereal disease other than gonorrhea or syphilis were reported among colored males who accounted for almost 85 percent of such admissions although representing less than 10 percent of the total strength of the Army.

For all Army personnel combined, morbidity due to venereal EPTS cases, which were predominantly syphilis, was at a rate of 14 per thousand in February, with corresponding figures of 157 and 5 per thousand for colored males and the remainder of the Army respectively.


RESTRICTED

## MORBIDITY FROM VENEREAL DISEASES

## TOTAL ARMY

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH






# MORBIDITY FROM VENEREAL DISEASES COLORED MALES

CONTINENTAL UNITED STATES


ANNUAL RATE OF ADMISSION PER 1000 STRENGTH



# MORBIDITY FROM VENEREAL DISEASES ALL OTHER PERSONNEL THAN COLORED MALES

CONTINENTAL UNITED STATES

ANNUAL RATE OF ADMISSION PER 1000 STRENGTH





## ANALYSIS OF VENEREAL DISEASE DATA (CONT'D)

Variations in the admission rate for venereal EPTS cases reflect entirely the experience among current inductees, so that differences in the incidence of such cases by Service Command or by individual station have little significance. Quite naturally, reception centers report very high rates of admission from venereal EPTS, whereas other stations usually show few cases or none at all.

As in previous months (with the exception of September 1944) the Second Service Command again reported by far the highest morbidity for colored males from venereal diseases excluding EPTS cases. The rate of 349 per thousand for the Second Service Command was about 50 percent higher than the January rate for colored males in the country as a whole. The Seventh Service Command, with a rate of 147 per thousand, reported the lowest morbidity from these causes among colored males, followed by the Fifth Service Command, with a rate of 175 per thousand.

For other Army personnel there was also considerable variation by Service Command in morbidity from venereal diseases excluding EPTS cases. The Fifth Service Command with a rate of 43 per thousand (or about 50 percent higher than that for the country as a whole) and the Sixth Service Command with a rate of 41 per thousand had the highest admission rates. The lowest morbidity was registered by the Military District of Washington (13 per thousand), followed by the First, Second, Eighth and Ninth Service Commands (about 26 per thousand).


For colored males the following stations reported the highest morbidity for total venereal diseases excluding EPTS cases, all having admission rates in excess of 350 per thousand: Camp Kilmer, N.J., Camp Shanks, N. Y., Camp Stewart, Ga., Camp Polk, La.,

Camp Swift, Texas, and Camp Beale, Calif.

The highest admission rates for syphilis excluding EPTS cases for colored males were reported by Camp Beale, Calif. (114 per thousand), Camp Shanks, N.Y. (94 per thousand) and Camp Swift, Texas (94 per thousand).

# VENEREAL DISEASE (EXCLUDING EPTS CASES) ADMISSION RATES BY SERVICE COMMAND

FOR THE FOUR WEEK PERIOD ENDING 23 FEBRUARY 1945  
ANNUAL RATE OF ADMISSION PER 1000 STRENGTH





# VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

TOTAL ARMY IN CONTINENTAL UNITED STATES

VOLUME V REPORT NO. 12

SERVICE COMMAND	1944 MONTH* 1944						1945 MONTH* 1945					
	JULY	AUGUST	SEPTEMBER ‡	OCTOBER	NOVEMBER	DECEMBER ‡	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.80	.86	.90	.84	.81	.78	.82	.83				
FIRST SERVICE COMMAND	.8	.8	.9	1.1	1.2	1.4	1.4	1.4				
SECOND SERVICE COMMAND	1.1	1.1	.9	.9	.9	1.0	1.0	.9				
THIRD SERVICE COMMAND	1.2	1.4	1.5	1.4	1.6	1.6	1.8	1.6				
MIL.DIST.OF WASHINGTON	1.3	1.5	1.0	.9	.7	.8	.9	.6				
FOURTH SERVICE COMMAND	.7	.7	.7	.7	.6	.7	.7	.8				
FIFTH SERVICE COMMAND	1.6	1.6	1.8	1.6	1.3	1.4	1.0	1.0				
SIXTH SERVICE COMMAND	1.0	1.1	1.1	1.1	.7	.8	.8	.8				
SEVENTH SERVICE COMMAND	.7	.6	.6	.6	.5	.4	.4	.3				
EIGHTH SERVICE COMMAND	.6	.8	.9	.8	.8	.7	.8	.9				
NINTH SERVICE COMMAND	.8	.8	.8	.7	.8	.6	.6	.7				
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	89773	94459	113859	84399	76447	87634	69621	67544				
FIRST SERVICE COMMAND	1904	2123	3085	2840	3001	4115	3342	3201				
SECOND SERVICE COMMAND	6042	6571	6765	5417	5358	6531	5281	4836				
THIRD SERVICE COMMAND	8829	9063	12218	8386	8846	10620	9032	7889				
MIL.DIST.OF WASHINGTON	2273	2443	2059	1531	1162	1556	1273	931				
FOURTH SERVICE COMMAND	20312	20856	25021	18030	15728	20308	15597	15579				
FIFTH SERVICE COMMAND	8360	8131	11945	7383	4967	6370	3716	3720				
SIXTH SERVICE COMMAND	5023	5027	5950	4078	2440	2882	2245	2243				
SEVENTH SERVICE COMMAND	7190	6912	8067	5487	4470	4090	2781	2258				
EIGHTH SERVICE COMMAND	17262	20080	27415	19907	18689	19167	17252	17513				
NINTH SERVICE COMMAND	12583	13253	16334	11340	11786	11995	9102	9374				

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED

# VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES

VOLUME V REPORT NO. 12

SERVICE COMMAND	1944 MONTH* 1944						1945 MONTH* 1945					
	JULY	AUGUST	SEPTEMBER ‡	OCTOBER	NOVEMBER	DECEMBER ‡	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	4.4	4.6	4.5	4.2	4.5	4.8	5.14	5.20				
FIRST SERVICE COMMAND	2.9	2.8	2.7	2.7	3.5	5.1	5.6	5.9				
SECOND SERVICE COMMAND	7.4	7.7	6.0	5.4	6.0	5.8	6.6	6.0				
THIRD SERVICE COMMAND	6.0	5.8	5.5	5.6	7.1	7.2	9.3	9.2				
MIL.DIST.OF WASHINGTON	15.2	15.2	11.2	6.9	8.4	11.9	11.6	9.2				
FOURTH SERVICE COMMAND	3.6	4.4	3.8	3.8	3.8	4.6	4.5	4.6				
FIFTH SERVICE COMMAND	7.4	5.9	6.8	6.0	5.5	6.7	4.7	4.1				
SIXTH SERVICE COMMAND	5.0	5.1	5.6	5.0	5.1	9.1	9.8	15.6				
SEVENTH SERVICE COMMAND	2.9	2.8	4.0	3.1	3.1	2.4	2.6	2.0				
EIGHTH SERVICE COMMAND	3.8	4.0	4.3	4.4	4.1	4.2	5.5	6.4				
NINTH SERVICE COMMAND	4.4	4.3	4.1	3.2	3.9	3.2	3.0	2.6				
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	39789	39329	47980	32797	32185	39452	30293	29431				
FIRST SERVICE COMMAND	1020	1123	1659	1432	1711	2549	1958	1882				
SECOND SERVICE COMMAND	3489	3702	3453	2818	3000	3818	2889	3068				
THIRD SERVICE COMMAND	5262	5109	6903	4837	5600	6266	5812	5344				
MIL.DIST.OF WASHINGTON	959	946	644	372	434	728	502	395				
FOURTH SERVICE COMMAND	9306	9309	10557	7272	6460	9145	7160	7788				
FIFTH SERVICE COMMAND	3272	2593	3906	2691	1925	2346	1239	925				
SIXTH SERVICE COMMAND	1506	1465	1705	988	800	1116	580	914				
SEVENTH SERVICE COMMAND	2160	1998	3401	1873	1674	1429	1076	809				
EIGHTH SERVICE COMMAND	7020	7429	9821	7280	6390	6675	5978	5955				
NINTH SERVICE COMMAND	5736	5655	5931	3234	4191	4380	3099	2351				

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED



# VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES

VOLUME V REPORT NO. 12

SERVICE COMMAND	1944 MONTH* 1944						1945 MONTH* 1945					
	JULY	AUGUST	SEPTEMBER †	OCTOBER	NOVEMBER	DECEMBER †	JANUARY	FEBRUARY	MARCH †	APRIL	MAY	JUNE †
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.49	.55	.59	.56	.50	.47	.50	.51				
FIRST SERVICE COMMAND	.4	.5	.5	.7	.6	.6	.7	.7				
SECOND SERVICE COMMAND	.5	.5	.5	.5	.5	.5	.5	.4				
THIRD SERVICE COMMAND	.6	.7	.8	.7	.7	.8	.7	.6				
MIL.DIST.OF WASHINGTON	.8	.9	.7	.7	.5	.5	.5	.4				
FOURTH SERVICE COMMAND	.4	.4	.4	.4	.4	.4	.4	.4				
FIFTH SERVICE COMMAND	1.1	1.2	1.4	1.1	.9	.9	.7	.8				
SIXTH SERVICE COMMAND	.8	.8	.9	.8	.5	.5	.6	.5				
SEVENTH SERVICE COMMAND	.5	.5	.4	.4	.3	.3	.2	.2				
EIGHTH SERVICE COMMAND	.4	.5	.6	.6	.6	.5	.6	.6				
NINTH SERVICE COMMAND	.5	.5	.6	.6	.5	.4	.5	.6				
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	49989	55130	70879	51602	44262	49182	39328	38113				
FIRST SERVICE COMMAND	884	1000	1426	1408	1290	1566	1384	1319				
SECOND SERVICE COMMAND	2554	2869	3312	2599	2358	2713	2392	1768				
THIRD SERVICE COMMAND	3567	3954	5315	3549	3246	4354	3220	2545				
MIL.DIST.OF WASHINGTON	1314	1497	1415	1159	728	828	771	536				
FOURTH SERVICE COMMAND	11006	11547	14464	10758	9268	11163	8437	7791				
FIFTH SERVICE COMMAND	5088	5538	8039	4692	3042	4024	2477	2795				
SIXTH SERVICE COMMAND	3517	3562	4245	3090	1640	1768	1665	1329				
SEVENTH SERVICE COMMAND	5030	4914	4666	3615	2796	2661	1705	1449				
EIGHTH SERVICE COMMAND	10242	12651	17594	12627	12299	12492	11274	11558				
NINTH SERVICE COMMAND	6787	7598	10403	8106	7595	7615	6003	7023				

\*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY †.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION



# VENEREAL DISEASE ADMISSION RATES<sup>†</sup>

RESTRICTED

VOLUME V REPORT NO. 12 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER  
FOR THE 4 WEEK PERIOD ENDING 23 February 1945

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES		
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL					
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER
TOTAL UNITED STATES	5	33	3	37	180	26	1	12	0	43	225	29	14	137	5	THIRD SERVICE COMMAND	7	34	3	48	183	30	1	11		56	228	33	45	295	11
FIRST SERVICE COM.	8	37	3	40	152	21	3	15	1?	51	204	25	3	7	2	Md. Aberdeen Prov. Grd., Va. Hampton Roads PoE,	2?	12?		32	87	24	1?	6?		35	105	24			
Indiantown Gap, Pa.	10	29	3?	68	167	31	1?	3?																							
Boston PoE, Mass.	19	75	5?	62	211	23	4?	18		85	304	28				Lee, Cp., Va.	7	17	4?	60	152	24	3	12		70	181	28	4	13	
Devens, Ft., Mass.	5?	10?	2?	66	141	11				71	151	13	4?	3?	6?	Stations Under 1000 Colored Strength	7	82	4	40	247	32	1	22		48	351	36	70	1467	16
Stations Under 1000 Colored Strength	4	38	2	25	94	21	3	38	1	32	170	24	4	23?	2																
MIL. DIST. OF WASH.	2	25?	1?	17	195	12	1?	25?	0?	20	245	13	0?		0?																
Stations Under 1000 Colored Strength	2	25?	1?	17	195	12	1?	25?	0?	20	245	13	0?		0?																
SECOND SERVICE COM.	7	52	3	48	275	23	2	22	0?	57	349	26	9	60	3																
Dix, Ft., N. J.	4?	22?	1?	35	109	24	3?	22?		42	153	25	85	454	30																
Kilmer, Cp., N. J.	14	66	3?	96	409	29	6	37		116	512	32				FOURTH SERVICE COM.	5	28	3	41	173	29	1	16	0	47	217	32	19	194	2
New York PoE, N. Y.				67	183	14				67	183	14																			
Shanks, Cp., N. Y.	15	94	4?	72	359	33	3?	22?	1?	90	475	38				Benning, Ft., Ga.	7	25	4	74	191	50	3	16	0?	84	232	54	104	621	0?
Stations Under 1000 Colored Strength	7	84	3	34	303	21	2	32	0?	43	419	24	1?	2?	0?	Bragg, Ft., N. C.	3	14?	1?	43	164	28	4	38		50	216	29	50	402	7
																							</								

FORM SG-727 REVISED 17 February 1945

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)  
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED



# VENEREAL DISEASE ADMISSION RATES<sup>†</sup>

RESTRICTED

VOLUME V REPORT NO. 12 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER  
FOR THE 4 WEEK PERIOD ENDING 23 February 1945

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL						
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER				
(Cont'd)																																
FOURTH SERVICE COM.																SEVENTH SERVICE COM.	4	30	2	32	114	27	0?	3?	0?	36	147	29	3	18	2	
Gulfport Field, Miss.				42	150	14				42	150	14																				
MacDill Field, Fla.	11	24		116	229	18	15	32		142	285	18				F. E. Warren, <sup>Wyo.</sup> Ft.,	17	45	2?	53	104	27	1?	3?		71	152	29				
McClellan, Ft., Ala.	3	10?	2?	16	49	7	1?	6?		20	65	9	13	25	9	Leonard Wood, Ft., Mo.	11	19?	8?	68	131	42				79	150	50	3?	10?		
Orlando AAF, Fla.	2?	23?		31	174	14				33	197	14				Stations Under 1000 Colored Strength	3	26	2	29	114	27	0?	3?	0?	32	143	29	3	30	2	
Shelby, Cp., Miss.	12	68	4	44	233	19	3?	23?		59	324	23	42	324	4																	
Stewart, Cp., Ga.	23	85	4?	69	266	8?	17	60?	4?	109	411	16?																				
Tuskegee AAF, Ala.	19?	20?		43	46					62	66					EIGHTH SERVICE COM.	4	37	3	32	208	23	1	11	0?	37	256	26	9	119	4	
Stations Under 1000 Colored Strength	4	37	3	36	216	30	1	15	0?	41	268	33	10	215	2																	
																Claiborne, Cp., La.	12	44	5?	62	245	21	1?	5?		75	294	26				
																Kelly Field, Tex.	2?		2?	49	148	32				51	148	34				
FIFTH SERVICE COM.	5	18	4	45	147	39	1	10	0?	51	175	43	29	124	22	Livingston, Cp., La.	10	56	4	56	261	29	1?	10?		67	327	33				
																New Orleans PoE, La.	12	29	5?	80	201	30	5	18		97	248	35				
Knox, Ft., Ky.	2	8?	2?	43	166	33	1?	12?	0?	46	186	35	2?		2?	Polk, Cp., La.	9	70	1?	55	330	19	5?	40?		69	440	20				
Stations Under 1000 Colored Strength	6	24	4	46	134	41	0?	8?		52	166	45	41	204	32	Sill, Ft., Okla.	4	83		32	220	23	0?	9?		36	312	23	1?	18?		
																Swift, Cp., Tex.	11	94	5	76	452	50	1?	19?		88	565	55				
																Stations Under 1000 Colored Strength	3	29	2	26	172	22	0?	8	0?	29	209	24	11	229	5	
SIXTH SERVICE COM.	2	6?	2	43	204	39	0?	18?		45	228	41	32	1182	7																	
Stations Under 1000 Colored Strength	2	6?	2	43	204	39	0?	18?		45	228	41	32	1182	7																	

FORM SG-727 REVISED 17 February 1945

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)  
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED



### VENEREAL DISEASE ADMISSION RATES<sup>†</sup>

RESTRICTED

VOLUME V REPORT NO. 12 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER  
FOR THE 4 WEEK PERIOD ENDING 23 February 1945

[illegible]

FORM 90-727 REVISED 17 February 1945

\* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)  
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES  
OFFICE OF THE SURGEON GENERAL  
MEDICAL STATISTICS DIVISION

RESTRICTED